


How to use Paroc materials with ProdLib BuildUp




Download ProdLib for Windows from www.prodlib.com


Run the installation package and follow instructions

After the installation is complete, ProdLib Manager will open

ProdLib Manager can also be opened from the Start menu

Note! Installation requires administrative rights.
See the installation instructions: www.prodlib.com/support






Note! Downloading libraries requires administrative rights.

In ProdLib Manager, scroll down to the All libraries section

Find the Paroc library. You can use the Search libraries filter and type "Paroc"

Click on the Paroc library icon and the sidebar opens

Click on Install library and download starts



Launch the Paroc library by either clicking on the Start button (sidebar) or by hovering over the Paroc library icon and clicking the play icon.

Under the Options (sidebar), you'll find an option to create a desktop shortcut.

ProdLib | Paroc library

PAROC

search for...

REGION
Sweden

STRUCTURES

WALLS

EXTERNAL WALLS

- PAROC SE-W-VF-10.6
- PAROC SE-W-VF-10.8
- PAROC SE-W-VF-30.1 CLT
- PAROC SE-W-VF-30.1 CONCRETE

INNER WALLS

ROOFS

BUILDING CONSTRUCTIONS

- GENERAL BUILDING INSULATION
- LOOSE-FILL INSULATIONS FOR BUILDING APPLICATIONS
- WALL INSULATIONS


External walls

PAROC SE-W-VF-10.6


PAROC SE-W-VF-10.8

PAROC SE-W-VF-30.1 CLT


PAROC SE-W-VF-30.1 Concrete



In the ProdLib configurator, the user can view and edit a created or selected buildup. Properties of each layer can be seen below the buildup. New layers can be added and existing deleted.



When editing layer materials, the user can select from existing real materials from the material selector. In properties of materials, there is also information of availability in the chosen market area, for example available thicknesses. The user can also edit the desired hatch pattern of the material.



In AutoCAD, you'll find the Paroc library in the ProdLib tab.

Launch the library by clicking on Paroc. Browse, create or modify content.



When ready, click on the DXF insert button on the right side of the library window.


In Revit, you'll find the Paroc library in the ProdLib tab.

Launch the library by clicking on Paroc. Browse, create or modify content.

When ready, click on the Insert as a wall button on the right side of the library window. Now you can draw walls with the selected buildup into your projects.

After you are done, click on the Update hatches button in the ProdLib tab.





With the Legend option, you can create a 2D view with information of the wall in Revit.

Create first a new Legend view in a Revit project, launch the Paroc library, search for the desired buildup and select “add Legend”.

After you are done, click on the Update hatches button in the ProdLib tab.

ProdLib | Paroc library

PAROC

search for...

REGION
Sweden

STRUCTURES

WALLS

EXTERNAL WALLS

PAROC SE-W-VF-10.6

PAROC SE-W-VF-10.8

PAROC SE-W-VF-30.1 CLT

PAROC SE-W-VF-30.1 CONCRETE

INNER WALLS

ROOFS

BUILDING CONSTRUCTIONS

GENERAL BUILDING INSULATION

LOOSE-FILL INSULATIONS FOR BUILDING APPLICATIONS

WALL INSULATIONS

PAROC SE-W-VF-10.6

LAYERS

- 1 Brick
130 mm
- 2 Ventilation layer with battens
22 mm
- 3 PAROC WAS 50
150 mm
- 4 PAROC eXtra
170 mm
- 5 PAROC XMV 0.12
0 mm
- 6 Gypsum Board
25 mm

PROPERTIES

Wall
Total thickness 497 [mm]

Configure...

Dwg/Dxf

DXF

PDF

Revit

BricsCAD

You can drag-n-drop any buildup to a folder by clicking on the DXF and PDF buttons and dragging from them. You can also drop them on compatible programs for a quick insert.